




# Wisch-Patina-Paste

## WPP-BLACK WPP-BLUE WPP-BROWN WPP-GOLD WPP-GREEN WPP-RED WPP-SILVER WPP-WHITE WPP-YELLOW



Product description		Processing	
Description	Wipe-on patina paste, based on water, for tinting wood pores. The product is also suitable as patinating coat. All colours can be mixed with each other.		Shake or stir well before use!
Range of application		Aftertreatment	
Description	Coarse-pored wood and veneer, e.g., oak and ash, to accentuate the pore and as wipe-on patina and any fine-pored and coarse-pored wood and veneer. The product can also be used on stained and primed wood surfaces as well as on open-pored paint coats. Many colour combinations and effects can be obtained.	Wipe-On Patina Paste WPP must be finally coated with a solvent-based varnish. We recommend using the same product series as for the primer coat.	
Product data			
		WPP-RED WPP-BLACK WPP-GOLD WPP-BLUE WPP-BROWN WPP-SILVER WPP-GREEN WPP-WHITE WPP-YELLOW	
Product color		black	
Packaging size		1 kg	
Shelf life - Original container unopened		at least 1 year	
Gloss levels			
Product number		WPP-BLACK	
		WPP-BROWN	
		WPP-GOLD	
		WPP-GREEN	
		WPP-RED	
		WPP-SILVER	
		WPP-WHITE	
		WPP-YELLOW	
Preparation of substrates			
	Raw wood must be sanded with P180, P220 first. Thoroughly dust; coarse-pored wood must be brushed. Raw and stained wood as well as painted surfaces must first be primed with a two-pack PUR varnish.		
			

Products from AkzoNobel Wood Coatings are exclusively produced for professional and industrial users, who have a basic knowledge of the handling and application of chemical/technical products for surface design. The processing instructions for reaching the qualities given in the leaflets should be regarded as non-binding recommendations and do not constitute any warranty. These recommendations are based on our experiences, including test series, and should facilitate and promote the work of our clients. Any potential deviation from ideal working conditions is within the responsibility of our clients and may affect the (end) result of the application. The purchaser is not relieved from his duties to inspect the product and its suitability for the surface to be processed, preferably through trial processing. If in any doubt as to the handling or processing of the purchased product, our material experts as well as our application and laboratory technicians will help you to the best of their ability. AkzoNobel, of course, guarantees an impeccable quality of its products in its product specifications, yet the use thereof lies entirely within the responsibility of the purchaser. As long as we have not guaranteed - in writing - the specific characteristics and suitability of a product for a contractually agreed purpose, any advice or information given regarding the application or handling, even if the advice or information is given to the best of our knowledge, will not be binding nor will it constitute a warranty. AkzoNobel's liability for the use of its products by its customers is limited in its General Sales and Delivery Conditions, to which the purchaser is hereby referred. The applicable version of the Technical Data Sheet for this product can be downloaded from our websites. Previous versions of the Technical Data Sheets are rendered void with the issue of a new one. Date of issue: 2023-08-25 / 30